



# ***WHITE BRIK APARTMENT***

BITUMEN WATERPROOFING MEMBRANE (CONSEAL 300)





## WATERPROOFING OF WHITE BRIK APARTMENT AT LEEKI PHASE 1 WITH 6400M<sup>2</sup> USING COSTARCHEM BITUMEN WATERPROOFING SYSTEM

### BACKGROUND

Costarchem were contracted to inspect the newly constructed apartment located at Lekki Phase 1. After inspection by the team, Costar bitumen waterproofing system was recommended as the best option.

### APPLICATION PROCESS

- Surface Preparation

Adequate and detailed surface preparation is essential for durability of product after installation. Before application, All loose concrete, chippings and dust were removed. All surfaces were expected to be cleaned, sound and free of contamination..

### APPLICATION

Costar Conseal 300 was Stired for about 2-3 mins before applying onto the surface with the use of spraying machine until the surfaces were covered.

### SOLUTION

Some problem areas were spotted on wall-floor connections, 90° angles, chimneys and pipes. These were resolved by reinforcing with CONSEAL Fabric while the Conseal 300 was still wet.



## **CONTACT US**

WhatsApp/Call: +234 908 843 4791

E-mail: [technicalsupport@costarchem.ng](mailto:technicalsupport@costarchem.ng)

Office Address: 2B, Delo Dusumu Street, Awolowo way, Ikeja Lagos.

Follow us on      @Costarchem Nigeria | [www.costarchem.ng](http://www.costarchem.ng)